

<b>S = 20000</b>		<b>Pipe</b>						© 2003 Pressure Vessel Engineering Ltd. <a href="http://www.pveng.com">www.pveng.com</a>												
12.5% undertolerance removed, no corrosion allowance, ASME VIII-1 UG-27(c)								Phone: (519)-880-9808 Fax: (519) 880-9810												
<b>Schedule</b>								<b>20</b>	<b>30</b>	<b>40</b>	<b>STD</b>	<b>60</b>	<b>80</b>	<b>XS</b>	<b>100</b>	<b>120</b>	<b>140</b>	<b>160</b>	<b>XXS</b>	
<b>0.405 OD</b>	<b>wall</b>	<b>0.035</b>	<b>0.049</b>					<b>0.057</b>	<b>0.068</b>	<b>0.068</b>		<b>0.095</b>	<b>0.095</b>						<b>Inch</b>	
<b>Max PSI at E=1.00</b>		3219	4626					5464	6659	6659		9823	9823						PSI	
<b>Max PSI at E=0.85</b>		2737	3932					4645	5660	5660		8349	8349						PSI	
<b>1/8"</b>	<b>Volume</b>	0.001	0.001					0.000	0.000	0.000		0.000	0.000						ft^3/ft	
	<b>Weight</b>	0.138	0.187					0.212	0.245	0.245		0.315	0.315						Lb/ft cs	
<b>0.540 OD</b>	<b>wall</b>	<b>0.049</b>	<b>0.065</b>					<b>0.073</b>	<b>0.088</b>	<b>0.088</b>		<b>0.119</b>	<b>0.119</b>						<b>Inch</b>	
<b>Max PSI at E=1.00</b>		3391	4601					5226	6438	6438		9120	9120						PSI	
<b>Max PSI at E=0.85</b>		2883	3911					4442	5472	5472		7752	7752						PSI	
<b>1/4"</b>	<b>Volume</b>	0.001	0.001					0.001	0.001	0.001		0.000	0.000						ft^3/ft	
	<b>Weight</b>	0.257	0.330					0.364	0.425	0.425		0.536	0.536						Lb/ft cs	
<b>0.675 OD</b>	<b>wall</b>	<b>0.049</b>	<b>0.065</b>					<b>0.073</b>	<b>0.091</b>	<b>0.091</b>		<b>0.126</b>	<b>0.126</b>						<b>Inch</b>	
<b>Max PSI at E=1.00</b>		2677	3614					4095	5210	5210		7515	7515						PSI	
<b>Max PSI at E=0.85</b>		2275	3072					3481	4429	4429		6388	6388						PSI	
<b>3/8"</b>	<b>Volume</b>	0.002	0.002					0.002	0.001	0.001		0.001	0.001						ft^3/ft	
	<b>Weight</b>	0.328	0.424					0.470	0.568	0.568		0.740	0.740						Lb/ft cs	
<b>0.840 OD</b>	<b>wall</b>	<b>0.065</b>	<b>0.083</b>					<b>0.095</b>	<b>0.109</b>	<b>0.109</b>		<b>0.147</b>	<b>0.147</b>				<b>0.188</b>	<b>0.294</b>	<b>Inch</b>	
<b>Max PSI at E=1.00</b>		2863	3715					4299	4995	4995		6980	6980				9289	16225	PSI	
<b>Max PSI at E=0.85</b>		2434	3158					3654	4246	4246		5933	5933				7895	13791	PSI	
<b>1/2"</b>	<b>Volume</b>	0.003	0.002					0.002	0.002	0.002		0.002	0.002				0.001	0.000	ft^3/ft	
	<b>Weight</b>	0.539	0.672					0.757	0.852	0.852		1.089	1.089				1.311	1.716	Lb/ft cs	
<b>1.050 OD</b>	<b>wall</b>	<b>0.065</b>	<b>0.083</b>					<b>0.095</b>	<b>0.113</b>	<b>0.113</b>		<b>0.154</b>	<b>0.154</b>				<b>0.219</b>	<b>0.308</b>	<b>Inch</b>	
<b>Max PSI at E=1.00</b>		2265	2929					3381	4074	4074		5721	5721				8548	12919	PSI	
<b>Max PSI at E=0.85</b>		1925	2489					2874	3463	3463		4863	4863				7266	10982	PSI	
<b>3/4"</b>	<b>Volume</b>	0.005	0.004					0.004	0.004	0.004		0.003	0.003				0.002	0.001	ft^3/ft	
	<b>Weight</b>	0.685	0.858					0.970	1.132	1.132		1.475	1.475				1.946	2.443	Lb/ft cs	
<b>1.315 OD</b>	<b>wall</b>	<b>0.065</b>	<b>0.109</b>					<b>0.114</b>	<b>0.133</b>	<b>0.133</b>		<b>0.179</b>	<b>0.179</b>				<b>0.250</b>	<b>0.358</b>	<b>Inch</b>	
<b>Max PSI at E=1.00</b>		1792	3080					3230	3810	3810		5266	5266				7675	11772	PSI	
<b>Max PSI at E=0.85</b>		1523	2618					2746	3238	3238		4476	4476				6524	10006	PSI	
<b>1"</b>	<b>Volume</b>	0.008	0.007					0.006	0.006	0.006		0.005	0.005				0.004	0.002	ft^3/ft	
	<b>Weight</b>	0.869	1.405					1.464	1.681	1.681		2.174	2.174				2.847	3.663	Lb/ft cs	
<b>1.660 OD</b>	<b>wall</b>	<b>0.065</b>	<b>0.109</b>					<b>0.117</b>	<b>0.140</b>	<b>0.140</b>		<b>0.191</b>	<b>0.191</b>				<b>0.250</b>	<b>0.382</b>	<b>Inch</b>	
<b>Max PSI at E=1.00</b>		1409	2409					2595	3137	3137		4380	4380				5892	9601	PSI	
<b>Max PSI at E=0.85</b>		1198	2048					2206	2666	2666		3723	3723				5008	8161	PSI	
<b>1 1/4"</b>	<b>Volume</b>	0.013	0.011					0.011	0.010	0.010		0.009	0.009				0.007	0.004	ft^3/ft	
	<b>Weight</b>	1.108	1.808					1.930	2.275	2.275		3.000	3.000				3.769	5.220	Lb/ft cs	
<b>1.900 OD</b>	<b>wall</b>	<b>0.065</b>	<b>0.109</b>					<b>0.125</b>	<b>0.145</b>	<b>0.145</b>		<b>0.200</b>	<b>0.200</b>				<b>0.281</b>	<b>0.400</b>	<b>Inch</b>	
<b>Max PSI at E=1.00</b>		1227	2092					2414	2822	2822		3977	3977				5774	8642	PSI	
<b>Max PSI at E=0.85</b>		1043	1778					2052	2399	2399		3381	3381				4908	7346	PSI	
<b>1 1/2"</b>	<b>Volume</b>	0.017	0.015					0.015	0.014	0.014		0.012	0.012				0.010	0.007	ft^3/ft	
	<b>Weight</b>	1.275	2.087					2.372	2.721	2.721		3.635	3.635				4.864	6.415	Lb/ft cs	

<b>S = 20000</b>		<b>Pipe</b>							© 2003 Pressure Vessel Engineering Ltd. <a href="http://www.pveng.com">www.pveng.com</a>													
12.5% undertolerance removed, no corrosion allowance, ASME VIII-1 App 1-1									Phone: (519)-880-9808 Fax: (519) 880-9810													
<b>Schedule</b>									<b>20</b>	<b>30</b>	<b>40</b>	<b>STD</b>	<b>60</b>	<b>80</b>	<b>XS</b>	<b>100</b>	<b>120</b>	<b>140</b>	<b>160</b>	<b>XXS</b>		
<b>2.375 OD</b>	<b>wall</b>	<b>0.065</b>	<b>0.083</b>	<b>0.109</b>	<b>0.125</b>	<b>0.141</b>	<b>0.172</b>	<b>0.188</b>			<b>0.154</b>	<b>0.154</b>		<b>0.218</b>	<b>0.218</b>				<b>0.344</b>	<b>0.436</b>	<b>Inch</b>	
	<b>Max PSI at E=1.00</b>	977	1254	1660	1913	2168	2670	2933			2377	2377		3433	3433				5641	7373	PSI	
	<b>Max PSI at E=0.85</b>	830	1066	1411	1626	1843	2270	2493			2021	2021		2918	2918				4795	6267	PSI	
<b>2"</b>	<b>Volume</b>	0.027	0.027	0.025	0.025	0.024	0.022	0.022			0.023	0.023		0.021	0.021				0.016	0.012	ft <sup>3</sup> /ft	
	<b>Weight</b>	1.61	2.03	2.64	3.01	3.37	4.05	4.40			3.66	3.66		5.03	5.03				7.47	9.04	Lb/ft cs	
<b>2.875 OD</b>	<b>wall</b>	<b>0.083</b>	<b>0.109</b>	<b>0.125</b>	<b>0.141</b>	<b>0.156</b>	<b>0.172</b>	<b>0.188</b>			<b>0.203</b>	<b>0.203</b>		<b>0.276</b>	<b>0.276</b>				<b>0.375</b>	<b>0.552</b>	<b>Inch</b>	
	<b>Max PSI at E=1.00</b>	1031	1363	1570	1778	1974	2185	2398			2600	2600		3602	3602				5024	7763	PSI	
	<b>Max PSI at E=0.85</b>	877	1159	1334	1511	1678	1858	2039			2210	2210		3062	3062				4270	6599	PSI	
<b>2 1/2"</b>	<b>Volume</b>	0.040	0.039	0.038	0.037	0.036	0.035	0.034			0.033	0.033		0.029	0.029				0.025	0.017	ft <sup>3</sup> /ft	
	<b>Weight</b>	2.48	3.22	3.68	4.12	4.54	4.97	5.40			5.80	5.80		7.67	7.67				10.02	13.71	Lb/ft cs	
<b>3.500 OD</b>	<b>wall</b>	<b>0.083</b>	<b>0.109</b>	<b>0.125</b>	<b>0.141</b>	<b>0.156</b>	<b>0.172</b>	<b>0.188</b>			<b>0.216</b>	<b>0.216</b>		<b>0.300</b>	<b>0.300</b>				<b>0.438</b>	<b>0.600</b>	<b>Inch</b>	
	<b>Max PSI at E=1.00</b>	844	1114	1282	1451	1610	1781	1953			2258	2258		3191	3191				4801	6818	PSI	
	<b>Max PSI at E=0.85</b>	717	947	1090	1233	1369	1514	1660			1919	1919		2713	2713				4080	5795	PSI	
<b>3"</b>	<b>Volume</b>	0.061	0.059	0.058	0.056	0.055	0.054	0.053			0.051	0.051		0.046	0.046				0.038	0.029	ft <sup>3</sup> /ft	
	<b>Weight</b>	3.03	3.95	4.51	5.06	5.58	6.12	6.66			7.58	7.58		10.26	10.26				14.34	18.60	Lb/ft cs	
<b>4.000 OD</b>	<b>wall</b>	<b>0.083</b>	<b>0.109</b>	<b>0.125</b>	<b>0.141</b>	<b>0.156</b>	<b>0.172</b>	<b>0.188</b>			<b>0.226</b>	<b>0.226</b>		<b>0.318</b>	<b>0.318</b>						<b>0.636</b>	<b>Inch</b>
	<b>Max PSI at E=1.00</b>	737	972	1118	1265	1403	1552	1701			2059	2059		2946	2946						6262	PSI
	<b>Max PSI at E=0.85</b>	626	826	950	1075	1193	1319	1446			1750	1750		2505	2505						5323	PSI
<b>3 1/2"</b>	<b>Volume</b>	0.080	0.078	0.077	0.075	0.074	0.073	0.072			0.069	0.069		0.062	0.062						0.041	ft <sup>3</sup> /ft
	<b>Weight</b>	3.48	4.53	5.18	5.82	6.41	7.04	7.66			9.12	9.12		12.52	12.52						22.88	Lb/ft cs
<b>4.500 OD</b>	<b>wall</b>	<b>0.083</b>	<b>0.109</b>	<b>0.125</b>	<b>0.141</b>	<b>0.156</b>	<b>0.172</b>	<b>0.188</b>			<b>0.237</b>	<b>0.237</b>	<b>0.281</b>	<b>0.337</b>	<b>0.337</b>		<b>0.438</b>		<b>0.531</b>	<b>0.674</b>	<b>Inch</b>	
	<b>Max PSI at E=1.00</b>	654	862	992	1121	1244	1375	1506			1914	1914	2285	2766	2766		3656		4502	5856	PSI	
	<b>Max PSI at E=0.85</b>	556	733	843	953	1057	1168	1280			1627	1627	1943	2351	2351		3107		3827	4978	PSI	
<b>4"</b>	<b>Volume</b>	0.102	0.100	0.099	0.097	0.096	0.094	0.093			0.088	0.088	0.085	0.080	0.080		0.072		0.064	0.054	ft <sup>3</sup> /ft	
	<b>Weight</b>	3.92	5.12	5.85	6.57	7.25	7.96	8.67			10.80	10.80	12.68	15.00	15.00		19.02		22.53	27.57	Lb/ft cs	
<b>5.563 OD</b>	<b>wall</b>	<b>0.083</b>	<b>0.125</b>	<b>0.156</b>	<b>0.188</b>	<b>0.219</b>	<b>0.281</b>	<b>0.312</b>			<b>0.258</b>	<b>0.258</b>		<b>0.375</b>	<b>0.375</b>		<b>0.500</b>		<b>0.625</b>	<b>0.750</b>	<b>Inch</b>	
	<b>Max PSI at E=1.00</b>	528	799	1001	1211	1417	1833	2043			1678	1678		2476	2476		3357		4268	5210	PSI	
	<b>Max PSI at E=0.85</b>	449	679	851	1030	1204	1558	1737			1426	1426		2105	2105		2853		3628	4429	PSI	
<b>5"</b>	<b>Volume</b>	0.159	0.154	0.150	0.147	0.143	0.136	0.133			0.139	0.139		0.126	0.126		0.114		0.101	0.090	ft <sup>3</sup> /ft	
	<b>Weight</b>	4.86	7.27	9.02	10.80	12.51	15.87	17.52			14.63	14.63		20.80	20.80		27.07		33.00	38.59	Lb/ft cs	
<b>6.625 OD</b>	<b>wall</b>	<b>0.083</b>	<b>0.109</b>	<b>0.125</b>	<b>0.141</b>	<b>0.156</b>	<b>0.172</b>	<b>0.188</b>			<b>0.280</b>	<b>0.280</b>		<b>0.432</b>	<b>0.432</b>		<b>0.562</b>		<b>0.719</b>	<b>0.864</b>	<b>Inch</b>	
	<b>Max PSI at E=1.00</b>	442	583	669	756	838	925	1013			1524	1524		2391	2391		3156		4111	5023	PSI	
	<b>Max PSI at E=0.85</b>	376	495	569	643	712	787	861			1296	1296		2033	2033		2683		3494	4270	PSI	
<b>6"</b>	<b>Volume</b>	0.228	0.224	0.222	0.219	0.217	0.215	0.213			0.201	0.201		0.181	0.181		0.165		0.147	0.131	ft <sup>3</sup> /ft	
	<b>Weight</b>	5.81	7.59	8.69	9.77	10.79	11.87	12.94			19.00	19.00		28.60	28.60		36.43		45.40	53.22	Lb/ft cs	
<b>8.625 OD</b>	<b>wall</b>	<b>0.125</b>	<b>0.156</b>	<b>0.188</b>	<b>0.203</b>	<b>0.219</b>	<b>0.312</b>	<b>0.344</b>	<b>0.250</b>	<b>0.277</b>	<b>0.322</b>	<b>0.322</b>	<b>0.406</b>	<b>0.500</b>	<b>0.500</b>	<b>0.594</b>	<b>0.719</b>	<b>0.812</b>	<b>0.906</b>	<b>0.875</b>	<b>Inch</b>	
	<b>Max PSI at E=1.00</b>	512	641	775	838	905	1299	1436	1036	1150	1342	1342	1704	2115	2115	2533	3098	3528	3968	3822	PSI	
	<b>Max PSI at E=0.85</b>	436	545	659	712	769	1104	1221	880	977	1140	1140	1448	1798	1798	2153	2634	2998	3373	3249	PSI	
<b>8"</b>	<b>Volume</b>	0.383	0.377	0.371	0.368	0.366	0.349	0.344	0.360	0.355	0.347	0.347	0.333	0.317	0.317	0.302	0.282	0.267	0.253	0.258	ft <sup>3</sup> /ft	
	<b>Weight</b>	11.36	14.13	16.96	18.28	19.68	27.73	30.46	22.39	24.72	28.59	28.59	35.68	43.44	43.44	51.00	60.78	67.83	74.77	72.50	Lb/ft cs	

For Preliminary Use Only --- Contact Pressure Vessel Engineering Ltd. for pressure vessel design and drafting --- Use at your own risk

<b>S = 20000</b>		<b>Pipe</b>							© 2003 Pressure Vessel Engineering Ltd. <a href="http://www.pveng.com">www.pveng.com</a>												
12.5% undertolerance removed, no corrosion allowance, ASME VIII-1 App 1-1									Phone: (519)-880-9808 Fax: (519) 880-9810												
<b>Schedule</b>									<b>20</b>	<b>30</b>	<b>40</b>	<b>STD</b>	<b>60</b>	<b>80</b>	<b>XS</b>	<b>100</b>	<b>120</b>	<b>140</b>	<b>160</b>	<b>XXS</b>	
<b>10.750 OD</b>	<b>wall</b>	<b>0.156</b>	<b>0.188</b>	<b>0.203</b>	<b>0.219</b>	<b>0.279</b>	<b>0.344</b>	<b>0.438</b>	<b>0.250</b>	<b>0.307</b>	<b>0.365</b>	<b>0.365</b>	<b>0.500</b>	<b>0.594</b>	<b>0.500</b>	<b>0.719</b>	<b>0.844</b>	<b>1.000</b>	<b>1.125</b>	<b>1.000</b>	<b>Inch</b>
	<b>Max PSI at E=1.00</b>	513	620	670	723	925	1146	1468	827	1020	1217	1217	1683	2012	1683	2456	2908	3483	3952	3483	PSI
	<b>Max PSI at E=0.85</b>	436	527	569	615	786	974	1248	703	867	1035	1035	1430	1710	1430	2088	2472	2960	3359	2960	PSI
<b>10"</b>	<b>Volume</b>	0.594	0.587	0.584	0.580	0.567	0.552	0.532	0.573	0.560	0.548	0.548	0.518	0.499	0.518	0.473	0.448	0.418	0.394	0.418	ft <sup>3</sup> /ft
	<b>Weight</b>	17.7	21.2	22.9	24.7	31.2	38.3	48.3	28.1	34.3	40.5	40.5	54.8	64.5	54.8	77.1	89.4	104.2	115.8	104.2	Lb/ft cs
<b>12.750 OD</b>	<b>wall</b>	<b>0.172</b>	<b>0.188</b>	<b>0.203</b>	<b>0.219</b>	<b>0.281</b>	<b>0.312</b>	<b>0.344</b>	<b>0.250</b>	<b>0.330</b>	<b>0.406</b>	<b>0.375</b>	<b>0.562</b>	<b>0.688</b>	<b>0.500</b>	<b>0.844</b>	<b>1.000</b>	<b>1.125</b>	<b>1.312</b>	<b>1.000</b>	<b>Inch</b>
	<b>Max PSI at E=1.00</b>	477	521	564	608	783	871	962	696	923	1140	1051	1592	1963	1411	2429	2905	3292	3881	2905	PSI
	<b>Max PSI at E=0.85</b>	405	443	479	517	666	741	818	591	784	969	893	1353	1668	1200	2065	2469	2798	3299	2469	PSI
<b>12"</b>	<b>Volume</b>	0.839	0.835	0.831	0.827	0.810	0.802	0.794	0.818	0.797	0.777	0.785	0.737	0.706	0.753	0.667	0.630	0.601	0.559	0.630	ft <sup>3</sup> /ft
	<b>Weight</b>	23.1	25.3	27.2	29.3	37.5	41.5	45.6	33.4	43.8	53.6	49.6	73.2	88.7	65.5	107.4	125.6	139.8	160.4	125.6	Lb/ft cs
<b>14.000 OD</b>	<b>wall</b>	<b>0.188</b>	<b>0.203</b>	<b>0.210</b>	<b>0.219</b>	<b>0.250</b>	<b>0.281</b>	<b>0.344</b>	<b>0.312</b>	<b>0.375</b>	<b>0.438</b>	<b>0.375</b>	<b>0.594</b>	<b>0.750</b>	<b>0.500</b>	<b>0.938</b>	<b>1.094</b>	<b>1.250</b>	<b>1.406</b>		<b>Inch</b>
	<b>Max PSI at E=1.00</b>	474	513	531	554	633	713	875	792	955	1120	955	1530	1948	1282	2460	2893	3333	3781		PSI
	<b>Max PSI at E=0.85</b>	403	436	451	471	538	606	744	674	812	952	812	1301	1656	1090	2091	2459	2833	3214		PSI
<b>14"</b>	<b>Volume</b>	1.012	1.008	1.006	1.003	0.994	0.985	0.967	0.976	0.958	0.939	0.958	0.895	0.852	0.922	0.802	0.761	0.721	0.683		ft <sup>3</sup> /ft
	<b>Weight</b>	27.8	29.9	31.0	32.3	36.8	41.2	50.2	45.7	54.6	63.5	54.6	85.1	106.2	72.2	131.0	151.0	170.4	189.3		Lb/ft cs
<b>16.000 OD</b>	<b>wall</b>	<b>0.188</b>	<b>0.203</b>	<b>0.219</b>	<b>0.281</b>	<b>0.344</b>	<b>0.406</b>	<b>0.438</b>	<b>0.312</b>	<b>0.375</b>	<b>0.500</b>	<b>0.375</b>	<b>0.656</b>	<b>0.844</b>	<b>0.500</b>	<b>1.031</b>	<b>1.219</b>	<b>1.438</b>	<b>1.594</b>		<b>Inch</b>
	<b>Max PSI at E=1.00</b>	415	448	484	622	764	904	977	692	834	1118	834	1477	1917	1118	2362	2817	3357	3748		PSI
	<b>Max PSI at E=0.85</b>	352	381	411	529	649	769	830	588	709	950	709	1256	1629	950	2008	2394	2853	3186		PSI
<b>16"</b>	<b>Volume</b>	1.331	1.326	1.321	1.300	1.279	1.258	1.248	1.289	1.268	1.227	1.268	1.177	1.117	1.227	1.060	1.003	0.939	0.895		ft <sup>3</sup> /ft
	<b>Weight</b>	31.8	34.3	37.0	47.2	57.6	67.7	72.9	52.3	62.6	82.9	62.6	107.6	136.8	82.9	165.0	192.6	223.9	245.5		Lb/ft cs
<b>18.000 OD</b>	<b>wall</b>	<b>0.188</b>	<b>0.203</b>	<b>0.219</b>	<b>0.250</b>	<b>0.281</b>	<b>0.406</b>	<b>0.469</b>	<b>0.312</b>	<b>0.438</b>	<b>0.562</b>	<b>0.375</b>	<b>0.750</b>	<b>0.938</b>	<b>0.500</b>	<b>1.156</b>	<b>1.375</b>	<b>1.562</b>	<b>1.781</b>		<b>Inch</b>
	<b>Max PSI at E=1.00</b>	368	398	429	491	552	802	929	614	866	1117	740	1502	1893	992	2354	2825	3234	3721		PSI
	<b>Max PSI at E=0.85</b>	313	338	365	417	470	682	790	522	736	950	629	1277	1609	843	2001	2401	2749	3163		PSI
<b>18"</b>	<b>Volume</b>	1.694	1.688	1.682	1.670	1.659	1.611	1.588	1.647	1.599	1.553	1.623	1.485	1.418	1.576	1.342	1.268	1.207	1.137		ft <sup>3</sup> /ft
	<b>Weight</b>	35.8	38.6	41.6	47.4	53.2	76.4	87.9	59.0	82.2	104.8	70.7	138.3	171.1	93.6	208.2	244.4	274.5	308.8		Lb/ft cs
<b>20.000 OD</b>	<b>wall</b>	<b>0.188</b>	<b>0.203</b>	<b>0.219</b>	<b>0.250</b>	<b>0.281</b>	<b>0.312</b>	<b>0.344</b>	<b>0.375</b>	<b>0.500</b>	<b>0.594</b>	<b>0.375</b>	<b>0.812</b>	<b>1.031</b>	<b>0.500</b>	<b>1.281</b>	<b>1.500</b>	<b>1.750</b>	<b>1.969</b>		<b>Inch</b>
	<b>Max PSI at E=1.00</b>	331	358	386	441	497	552	609	665	891	1062	665	1463	1872	891	2347	2770	3262	3701		PSI
	<b>Max PSI at E=0.85</b>	282	304	328	375	422	469	518	565	757	902	565	1243	1591	757	1995	2355	2773	3146		PSI
<b>20"</b>	<b>Volume</b>	2.100	2.094	2.087	2.074	2.061	2.048	2.034	2.021	1.969	1.930	2.021	1.842	1.755	1.969	1.659	1.576	1.485	1.407		ft <sup>3</sup> /ft
	<b>Weight</b>	39.8	43.0	46.3	52.8	59.2	65.7	72.3	78.7	104.2	123.2	78.7	166.6	209.1	104.2	256.4	296.7	341.5	379.6		Lb/ft cs
<b>24.000 OD</b>	<b>wall</b>	<b>0.188</b>	<b>0.203</b>	<b>0.219</b>	<b>0.250</b>	<b>0.281</b>	<b>0.312</b>	<b>0.344</b>	<b>0.375</b>	<b>0.562</b>	<b>0.688</b>	<b>0.375</b>	<b>0.969</b>	<b>1.219</b>	<b>0.500</b>	<b>1.531</b>	<b>1.812</b>	<b>2.062</b>	<b>2.344</b>		<b>Inch</b>
	<b>Max PSI at E=1.00</b>	276	298	321	367	413	459	507	553	833	1024	553	1454	1843	740	2337	2790	3200	3669		PSI
	<b>Max PSI at E=0.85</b>	234	253	273	312	351	390	431	470	708	870	470	1236	1567	629	1987	2371	2720	3119		PSI
<b>24"</b>	<b>Volume</b>	3.044	3.036	3.028	3.012	2.996	2.980	2.964	2.948	2.854	2.792	2.948	2.655	2.536	2.885	2.391	2.264	2.155	2.034		ft <sup>3</sup> /ft
	<b>Weight</b>	47.9	51.6	55.7	63.5	71.3	79.0	87.0	94.7	140.8	171.5	94.7	238.6	296.9	125.6	367.8	429.9	483.7	542.7		Lb/ft cs
<b>30.000 OD</b>	<b>wall</b>	<b>0.250</b>	<b>0.281</b>	<b>0.312</b>	<b>0.344</b>	<b>0.406</b>	<b>0.438</b>	<b>0.469</b>	<b>0.500</b>	<b>0.625</b>		<b>0.375</b>			<b>0.500</b>						<b>Inch</b>
	<b>Max PSI at E=1.00</b>	293	330	367	405	478	516	553	590	740		441			590						PSI
	<b>Max PSI at E=0.85</b>	249	280	312	344	406	439	470	502	629		375			502						PSI
<b>30"</b>	<b>Volume</b>	4.746	4.727	4.707	4.686	4.647	4.626	4.607	4.587	4.508		4.666			4.587						ft <sup>3</sup> /ft
	<b>Weight</b>	79.5	89.3	99.0	109.1	128.5	138.4	148.1	157.7	196.3		118.8			157.7						Lb/ft cs