

S = 2000		80:10 Flanged and Dished Heads																	© 2003 Pressure Vessel Engineering Ltd.		www.pveng.com	
IKR = 10% of OD, IDR = 80% of OD, thickness as formed, skirt not included																			Phone: (519)-880-9808 Fax: (519) 880-9810			
Head Thickness		0.063	0.125	0.188	0.250	0.313	0.375	0.438	0.500	0.625	0.750	0.875	1.000	1.125	1.250	1.375	1.500	1.750	2.000	Inch		
12" 1' diameter	Max PSI at E=1.00	17.8	35.6	53.5	71.1	88.8	106.5	124.1	141.7	176.8	211.8	246.6	281.4	316.0	350.5	384.9	419.1	487.3	554.9	PSI		
	Max PSI at E=0.85	15.1	30.3	45.5	60.4	75.5	90.5	105.5	120.4	150.3	180.0	209.6	239.2	268.6	297.9	327.1	356.2	414.2	471.7	PSI		
	Height	2.73	2.75	2.77	2.79	2.81	2.84	2.86	2.88	2.94	2.99	3.05	3.11	3.17	3.24	3.30	3.38	3.52	3.68	Inch		
	Volume	0.11	0.10	0.10	0.10	0.09	0.09	0.09	0.08	0.08	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.04	0.04	0.03	ft³	
	Weight	1.8	3.7	5.5	7.3	9.1	11.0	12.8	14.6	18.2	21.7	25.3	28.9	32.4	35.9	39.5	43.0	50.0	57.1	Lbs cs		
18" 1' 6" diameter	Max PSI at E=1.00	11.9	23.8	35.7	47.5	59.3	71.1	82.9	94.7	118.2	141.7	165.1	188.5	211.8	235.0	258.2	281.4	327.5	373.4	PSI		
	Max PSI at E=0.85	10.1	20.2	30.3	40.3	50.4	60.4	70.5	80.5	100.5	120.4	140.3	160.2	180.0	199.8	219.5	239.2	278.4	317.4	PSI		
	Height	4.08	4.10	4.12	4.14	4.16	4.18	4.21	4.23	4.28	4.33	4.38	4.43	4.49	4.54	4.60	4.66	4.79	4.92	Inch		
	Volume	0.36	0.35	0.35	0.34	0.33	0.32	0.32	0.31	0.30	0.28	0.27	0.26	0.25	0.23	0.22	0.21	0.19	0.18	0.18	ft³	
	Weight	4.1	8.3	12.4	16.5	20.6	24.7	28.8	32.9	41.0	49.1	57.2	65.3	73.4	81.4	89.4	97.4	113.3	129.2	Lbs cs		
24" 2' diameter	Max PSI at E=1.00	8.9	17.8	26.8	35.6	44.5	53.4	62.2	71.1	88.8	106.5	124.1	141.7	159.3	176.8	194.3	211.8	246.6	281.4	PSI		
	Max PSI at E=0.85	7.6	15.1	22.8	30.3	37.8	45.4	52.9	60.4	75.5	90.5	105.5	120.4	135.4	150.3	165.2	180.0	209.6	239.2	PSI		
	Height	5.43	5.45	5.47	5.49	5.51	5.53	5.56	5.58	5.62	5.67	5.72	5.77	5.82	5.87	5.93	5.98	6.10	6.22	Inch		
	Volume	0.86	0.85	0.84	0.82	0.81	0.79	0.78	0.77	0.74	0.72	0.69	0.67	0.65	0.63	0.60	0.58	0.54	0.51	0.51	ft³	
	Weight	7.4	14.7	22.1	29.4	36.7	44.0	51.3	58.6	73.1	87.6	102.1	116.5	130.9	145.2	159.6	173.9	202.4	230.8	Lbs cs		
30" 2' 6" diameter	Max PSI at E=1.00	7.1	14.3	21.4	28.5	35.6	42.7	49.8	56.9	71.1	85.3	99.4	113.5	127.6	141.7	155.7	169.8	197.8	225.7	PSI		
	Max PSI at E=0.85	6.1	12.1	18.2	24.2	30.3	36.3	42.3	48.4	60.4	72.5	84.5	96.5	108.5	120.4	132.4	144.3	168.1	191.9	PSI		
	Height	6.79	6.80	6.82	6.84	6.87	6.89	6.91	6.93	6.97	7.02	7.06	7.11	7.16	7.21	7.26	7.31	7.42	7.53	Inch		
	Volume	1.69	1.67	1.65	1.63	1.61	1.58	1.56	1.54	1.50	1.46	1.42	1.38	1.34	1.31	1.27	1.24	1.17	1.11	1.11	ft³	
	Weight	11.5	23.0	34.6	46.0	57.4	68.8	80.3	91.7	114.4	137.2	159.8	182.4	205.0	227.5	250.0	272.5	317.3	361.9	Lbs cs		
36" 3' diameter	Max PSI at E=1.00	5.9	11.9	17.9	23.8	29.7	35.6	41.5	47.5	59.3	71.1	82.9	94.7	106.5	118.2	130.0	141.7	165.1	188.5	PSI		
	Max PSI at E=0.85	5.1	10.1	15.2	20.2	25.2	30.3	35.3	40.3	50.4	60.4	70.5	80.5	90.5	100.5	110.5	120.4	140.3	160.2	PSI		
	Height	8.14	8.16	8.18	8.20	8.22	8.24	8.26	8.28	8.32	8.37	8.41	8.46	8.51	8.55	8.60	8.65	8.76	8.86	Inch		
	Volume	2.93	2.90	2.87	2.84	2.81	2.77	2.74	2.71	2.65	2.59	2.53	2.48	2.42	2.37	2.31	2.26	2.16	2.06	2.06	ft³	
	Weight	16.6	33.1	49.8	66.2	82.7	99.2	115.7	132.1	165.0	197.8	230.5	263.1	295.7	328.3	360.8	393.2	457.9	522.4	Lbs cs		
42" 3' 6" diameter	Max PSI at E=1.00	5.1	10.2	15.3	20.4	25.4	30.5	35.6	40.7	50.8	61.0	71.1	81.2	91.3	101.4	111.5	121.6	141.7	161.8	PSI		
	Max PSI at E=0.85	4.3	8.7	13.0	17.3	21.6	26.0	30.3	34.6	43.2	51.8	60.4	69.0	77.6	86.2	94.8	103.3	120.4	137.5	PSI		
	Height	9.49	9.51	9.53	9.55	9.57	9.59	9.61	9.63	9.67	9.72	9.76	9.81	9.85	9.90	9.95	9.99	10.09	10.20	Inch		
	Volume	4.67	4.62	4.58	4.53	4.49	4.45	4.40	4.36	4.28	4.20	4.12	4.04	3.96	3.88	3.81	3.73	3.59	3.45	3.45	ft³	
	Weight	22.6	45.1	67.8	90.1	112.6	135.1	157.5	179.9	224.7	269.4	314.0	358.6	403.0	447.4	491.8	536.0	624.4	712.5	Lbs cs		
48" 4' diameter	Max PSI at E=1.00	4.5	8.9	13.4	17.8	22.3	26.7	31.2	35.6	44.5	53.4	62.2	71.1	79.9	88.8	97.6	106.5	124.1	141.7	PSI		
	Max PSI at E=0.85	3.8	7.6	11.4	15.1	18.9	22.7	26.5	30.3	37.8	45.4	52.9	60.4	68.0	75.5	83.0	90.5	105.5	120.4	PSI		
	Height	10.85	10.86	10.88	10.90	10.92	10.94	10.96	10.98	11.03	11.07	11.11	11.16	11.20	11.25	11.29	11.34	11.44	11.54	Inch		
	Volume	6.97	6.92	6.86	6.80	6.74	6.69	6.63	6.57	6.46	6.36	6.25	6.14	6.04	5.94	5.84	5.74	5.55	5.36	5.36	ft³	
	Weight	29.5	58.9	88.6	117.8	147.2	176.5	205.8	235.1	293.7	352.1	410.5	468.8	526.9	585.0	643.1	701.0	816.7	932.0	Lbs cs		
54" 4' 6" diameter	Max PSI at E=1.00	4.0	7.9	11.9	15.8	19.8	23.8	27.7	31.7	39.6	47.5	55.3	63.2	71.1	79.0	86.8	94.7	110.4	126.0	PSI		
	Max PSI at E=0.85	3.4	6.7	10.1	13.5	16.8	20.2	23.6	26.9	33.6	40.3	47.0	53.7	60.4	67.1	73.8	80.5	93.8	107.1	PSI		
	Height	12.20	12.22	12.24	12.26	12.28	12.30	12.32	12.34	12.38	12.42	12.46	12.51	12.55	12.60	12.64	12.69	12.78	12.88	Inch		
	Volume	9.94	9.86	9.79	9.72	9.65	9.57	9.50	9.43	9.29	9.15	9.02	8.88	8.75	8.62	8.49	8.36	8.11	7.87	7.87	ft³	
	Weight	37.3	74.6	112.2	149.1	186.3	223.5	260.6	297.7	371.9	445.9	519.8	593.7	667.4	741.1	814.6	888.1	1034.7	1181.0	Lbs cs		

For Preliminary Use Only --- Contact Pressure Vessel Engineering Ltd. for pressure vessel design and drafting --- Use at your own risk

S = 2000		80:10 Flanged and Dished Heads																	© 2003 Pressure Vessel Engineering Ltd.	
IKR = 10% of OD, IDR = 80% of OD, thickness as formed, skirt not included																			www.pveng.com	
		Phone: (519)-880-9808 Fax: (519) 880-9810																		
Head Thickness		0.063	0.125	0.188	0.250	0.313	0.375	0.438	0.500	0.625	0.750	0.875	1.000	1.125	1.250	1.375	1.500	1.750	2.000	Inch
60" 5' diameter	Max PSI at E=1.00	3.6	7.1	10.7	14.3	17.8	21.4	24.9	28.5	35.6	42.7	49.8	56.9	64.0	71.1	78.2	85.3	99.4	113.5	PSI
	Max PSI at E=0.85	3.0	6.1	9.1	12.1	15.1	18.2	21.2	24.2	30.3	36.3	42.3	48.4	54.4	60.4	66.4	72.5	84.5	96.5	PSI
	Height	13.55	13.57	13.59	13.61	13.63	13.65	13.67	13.69	13.73	13.77	13.81	13.86	13.90	13.95	13.99	14.04	14.13	14.22	Inch
	Volume	13.64	13.55	13.46	13.37	13.28	13.19	13.10	13.02	12.84	12.67	12.50	12.33	12.16	12.00	11.84	11.68	11.36	11.06	ft^3
	Weight	46.1	92.1	138.5	184.1	230.0	275.9	321.8	367.7	459.3	550.7	642.1	733.4	824.5	915.5	1006.5	1097.3	1278.6	1459.6	Lbs cs
66" 5' 6" diameter	Max PSI at E=1.00	3.2	6.5	9.8	13.0	16.2	19.4	22.7	25.9	32.4	38.8	45.3	51.8	58.2	64.7	71.1	77.5	90.4	103.2	PSI
	Max PSI at E=0.85	2.8	5.5	8.3	11.0	13.8	16.5	19.3	22.0	27.5	33.0	38.5	44.0	49.5	55.0	60.4	65.9	76.8	87.8	PSI
	Height	14.90	14.92	14.94	14.96	14.98	15.00	15.02	15.04	15.08	15.12	15.17	15.21	15.25	15.30	15.34	15.38	15.48	15.57	Inch
	Volume	18.17	18.06	17.95	17.84	17.73	17.62	17.52	17.41	17.20	16.99	16.78	16.57	16.37	16.17	15.97	15.78	15.39	15.01	ft^3
	Weight	55.7	111.5	167.6	222.8	278.4	333.9	389.5	445.0	555.9	666.6	777.3	887.8	998.2	1108.4	1218.6	1328.6	1548.3	1767.6	Lbs cs
72" 6' diameter	Max PSI at E=1.00	3.0	5.9	8.9	11.9	14.9	17.8	20.8	23.8	29.7	35.6	41.5	47.5	53.4	59.3	65.2	71.1	82.9	94.7	PSI
	Max PSI at E=0.85	2.5	5.1	7.6	10.1	12.6	15.1	17.7	20.2	25.2	30.3	35.3	40.3	45.4	50.4	55.4	60.4	70.5	80.5	PSI
	Height	16.26	16.28	16.30	16.32	16.34	16.36	16.38	16.40	16.44	16.48	16.52	16.56	16.60	16.65	16.69	16.73	16.82	16.92	Inch
	Volume	23.60	23.47	23.34	23.21	23.08	22.95	22.82	22.69	22.44	22.19	21.94	21.70	21.45	21.21	20.97	20.74	20.27	19.82	ft^3
	Weight	66.3	132.6	199.4	265.1	331.3	397.5	463.6	529.7	661.7	793.6	925.4	1057.0	1188.4	1319.8	1451.0	1582.0	1843.8	2105.1	Lbs cs
78" 6' 6" diameter	Max PSI at E=1.00	2.7	5.5	8.3	11.0	13.7	16.5	19.2	21.9	27.4	32.9	38.3	43.8	49.3	54.7	60.2	65.6	76.5	87.4	PSI
	Max PSI at E=0.85	2.3	4.7	7.0	9.3	11.7	14.0	16.3	18.6	23.3	27.9	32.6	37.2	41.9	46.5	51.2	55.8	65.1	74.3	PSI
	Height	17.61	17.63	17.65	17.67	17.69	17.71	17.73	17.75	17.79	17.83	17.87	17.91	17.95	18.00	18.04	18.08	18.17	18.26	Inch
	Volume	30.02	29.87	29.71	29.56	29.41	29.25	29.10	28.95	28.65	28.36	28.07	27.78	27.49	27.20	26.92	26.64	26.09	25.55	ft^3
	Weight	77.9	155.7	234.1	311.2	388.9	466.6	544.2	621.7	776.8	931.6	1086.3	1240.9	1395.3	1549.5	1703.7	1857.6	2165.1	2472.1	Lbs cs
84" 7' diameter	Max PSI at E=1.00	2.5	5.1	7.7	10.2	12.7	15.3	17.8	20.4	25.4	30.5	35.6	40.7	45.8	50.8	55.9	61.0	71.1	81.2	PSI
	Max PSI at E=0.85	2.2	4.3	6.5	8.7	10.8	13.0	15.1	17.3	21.6	26.0	30.3	34.6	38.9	43.2	47.5	51.8	60.4	69.0	PSI
	Height	18.96	18.98	19.00	19.02	19.04	19.06	19.08	19.10	19.14	19.18	19.22	19.26	19.31	19.35	19.39	19.44	19.52	19.61	Inch
	Volume	37.51	37.33	37.15	36.97	36.80	36.62	36.44	36.27	35.92	35.58	35.24	34.90	34.56	34.23	33.90	33.57	32.93	32.30	ft^3
	Weight	90.3	180.6	271.5	361.0	451.1	541.2	631.2	721.2	901.0	1080.7	1260.2	1439.6	1618.7	1797.7	1976.6	2155.3	2512.2	2868.6	Lbs cs
90" 7' 6" diameter	Max PSI at E=1.00	2.4	4.8	7.2	9.5	11.9	14.3	16.6	19.0	23.8	28.5	33.2	38.0	42.7	47.5	52.2	56.9	66.4	75.8	PSI
	Max PSI at E=0.85	2.0	4.0	6.1	8.1	10.1	12.1	14.1	16.2	20.2	24.2	28.3	32.3	36.3	40.3	44.4	48.4	56.4	64.4	PSI
	Height	20.32	20.34	20.36	20.38	20.40	20.41	20.43	20.45	20.49	20.53	20.58	20.62	20.66	20.70	20.74	20.79	20.87	20.96	Inch
	Volume	46.15	45.94	45.74	45.53	45.33	45.13	44.93	44.72	44.32	43.93	43.53	43.14	42.76	42.37	41.99	41.62	40.87	40.14	ft^3
	Weight	103.7	207.3	311.7	414.4	517.9	621.3	724.7	828.0	1034.5	1240.9	1447.0	1653.0	1858.8	2064.4	2269.8	2475.1	2885.2	3294.6	Lbs cs
96" 8' diameter	Max PSI at E=1.00	2.2	4.5	6.7	8.9	11.1	13.4	15.6	17.8	22.3	26.7	31.2	35.6	40.1	44.5	48.9	53.4	62.2	71.1	PSI
	Max PSI at E=0.85	1.9	3.8	5.7	7.6	9.5	11.4	13.3	15.1	18.9	22.7	26.5	30.3	34.0	37.8	41.6	45.4	52.9	60.4	PSI
	Height	21.67	21.69	21.71	21.73	21.75	21.77	21.79	21.81	21.85	21.89	21.93	21.97	22.01	22.05	22.09	22.14	22.22	22.31	Inch
	Volume	56.02	55.79	55.55	55.32	55.09	54.86	54.63	54.40	53.94	53.49	53.04	52.60	52.15	51.72	51.28	50.85	49.99	49.15	ft^3
	Weight	118.0	235.9	354.6	471.5	589.3	706.9	824.6	942.2	1177.2	1412.1	1646.7	1881.1	2115.4	2349.5	2583.3	2817.0	3283.9	3750.0	Lbs cs
102" 8' 6" diameter	Max PSI at E=1.00	2.1	4.2	6.3	8.4	10.5	12.6	14.7	16.8	21.0	25.1	29.3	33.5	37.7	41.9	46.1	50.2	58.6	66.9	PSI
	Max PSI at E=0.85	1.8	3.6	5.4	7.1	8.9	10.7	12.5	14.3	17.8	21.4	24.9	28.5	32.0	35.6	39.2	42.7	49.8	56.9	PSI
	Height	23.02	23.04	23.06	23.08	23.10	23.12	23.14	23.16	23.20	23.24	23.28	23.32	23.36	23.40	23.45	23.49	23.57	23.66	Inch
	Volume	67.22	66.95	66.69	66.42	66.16	65.90	65.64	65.38	64.86	64.35	63.84	63.34	62.84	62.34	61.85	61.36	60.39	59.43	ft^3
	Weight	133.2	266.3	400.4	532.3	665.3	798.1	931.0	1063.7	1329.1	1594.3	1859.3	2124.1	2388.6	2653.0	2917.1	3181.1	3708.4	4235.0	Lbs cs

For Preliminary Use Only --- Contact Pressure Vessel Engineering Ltd. for pressure vessel design and drafting --- Use at your own risk

S = 2000		80:10 Flanged and Dished Heads																	© 2003 Pressure Vessel Engineering Ltd.	
IKR = 10% of OD, IDR = 80% of OD, thickness as formed, skirt not included																			www.pveng.com	
		Phone: (519)-880-9808 Fax: (519) 880-9810																		
Head Thickness		0.063	0.125	0.188	0.250	0.313	0.375	0.438	0.500	0.625	0.750	0.875	1.000	1.125	1.250	1.375	1.500	1.750	2.000	Inch
108" 9' diameter	Max PSI at E=1.00	2.0	4.0	6.0	7.9	9.9	11.9	13.9	15.8	19.8	23.8	27.7	31.7	35.6	39.6	43.5	47.5	55.3	63.2	PSI
	Max PSI at E=0.85	1.7	3.4	5.1	6.7	8.4	10.1	11.8	13.5	16.8	20.2	23.6	26.9	30.3	33.6	37.0	40.3	47.0	53.7	PSI
	Height	24.38	24.40	24.42	24.44	24.45	24.47	24.49	24.51	24.55	24.59	24.63	24.67	24.72	24.76	24.80	24.84	24.93	25.01	Inch
	Volume	79.81	79.51	79.21	78.92	78.62	78.33	78.04	77.75	77.17	76.59	76.02	75.45	74.89	74.33	73.77	73.22	72.13	71.05	ft^3
	Weight	149.3	298.5	448.9	596.8	745.9	894.9	1043.8	1192.7	1490.3	1787.6	2084.8	2381.7	2678.4	2974.9	3271.2	3567.3	4158.8	4749.5	Lbs cs
114" 9' 6" diameter	Max PSI at E=1.00	1.9	3.8	5.6	7.5	9.4	11.3	13.1	15.0	18.8	22.5	26.3	30.0	33.7	37.5	41.2	45.0	52.4	59.9	PSI
	Max PSI at E=0.85	1.6	3.2	4.8	6.4	8.0	9.6	11.2	12.8	15.9	19.1	22.3	25.5	28.7	31.9	35.0	38.2	44.6	50.9	PSI
	Height	25.73	25.75	25.77	25.79	25.81	25.83	25.85	25.87	25.91	25.95	25.99	26.03	26.07	26.11	26.15	26.19	26.28	26.36	Inch
	Volume	93.88	93.55	93.22	92.89	92.56	92.23	91.91	91.58	90.94	90.29	89.65	89.02	88.39	87.76	87.14	86.52	85.30	84.09	ft^3
	Weight	166.3	332.6	500.2	665.0	831.1	997.1	1163.1	1329.0	1660.6	1992.0	2323.2	2654.1	2984.8	3315.3	3645.5	3975.6	4634.9	5293.5	Lbs cs
120" 10' diameter	Max PSI at E=1.00	1.8	3.6	5.4	7.1	8.9	10.7	12.5	14.3	17.8	21.4	24.9	28.5	32.1	35.6	39.2	42.7	49.8	56.9	PSI
	Max PSI at E=0.85	1.5	3.0	4.6	6.1	7.6	9.1	10.6	12.1	15.1	18.2	21.2	24.2	27.2	30.3	33.3	36.3	42.3	48.4	PSI
	Height	27.08	27.10	27.12	27.14	27.16	27.18	27.20	27.22	27.26	27.30	27.34	27.38	27.42	27.46	27.50	27.54	27.63	27.71	Inch
	Volume	109.52	109.15	108.78	108.42	108.05	107.69	107.33	106.97	106.25	105.54	104.83	104.12	103.42	102.73	102.04	101.35	99.99	98.64	ft^3
	Weight	184.3	368.6	554.2	736.9	920.9	1104.9	1288.8	1472.7	1840.2	2207.5	2574.5	2941.3	3307.8	3674.1	4040.2	4406.0	5136.9	5866.9	Lbs cs
126" 10' 6" diameter	Max PSI at E=1.00	1.7	3.4	5.1	6.8	8.5	10.2	11.9	13.6	17.0	20.4	23.8	27.1	30.5	33.9	37.3	40.7	47.5	54.2	PSI
	Max PSI at E=0.85	1.4	2.9	4.3	5.8	7.2	8.7	10.1	11.5	14.4	17.3	20.2	23.1	26.0	28.8	31.7	34.6	40.3	46.1	PSI
	Height	28.44	28.46	28.48	28.50	28.51	28.53	28.55	28.57	28.61	28.65	28.69	28.73	28.77	28.81	28.86	28.90	28.98	29.07	Inch
	Volume	126.80	126.39	125.99	125.59	125.19	124.79	124.39	123.99	123.20	122.41	121.63	120.85	120.07	119.30	118.54	117.78	116.27	114.78	ft^3
	Weight	203.2	406.3	611.0	812.4	1015.3	1218.2	1421.0	1623.7	2029.0	2434.0	2838.7	3243.2	3647.4	4051.3	4455.1	4858.5	5664.7	6469.9	Lbs cs
132" 11' diameter	Max PSI at E=1.00	1.6	3.2	4.9	6.5	8.1	9.7	11.3	13.0	16.2	19.4	22.7	25.9	29.1	32.4	35.6	38.8	45.3	51.8	PSI
	Max PSI at E=0.85	1.4	2.8	4.1	5.5	6.9	8.3	9.6	11.0	13.8	16.5	19.3	22.0	24.8	27.5	30.3	33.0	38.5	44.0	PSI
	Height	29.79	29.81	29.83	29.85	29.87	29.89	29.91	29.93	29.97	30.01	30.04	30.09	30.13	30.17	30.21	30.25	30.33	30.42	Inch
	Volume	145.81	145.37	144.92	144.48	144.04	143.60	143.16	142.72	141.85	140.99	140.13	139.27	138.42	137.57	136.73	135.90	134.24	132.59	ft^3
	Weight	223.0	446.0	670.6	891.7	1114.4	1337.1	1559.6	1782.2	2227.0	2671.5	3115.8	3559.8	4003.6	4447.0	4890.2	5333.2	6218.3	7102.3	Lbs cs
138" 11' 6" diameter	Max PSI at E=1.00	1.6	3.1	4.7	6.2	7.8	9.3	10.9	12.4	15.5	18.6	21.7	24.8	27.9	31.0	34.1	37.2	43.3	49.5	PSI
	Max PSI at E=0.85	1.3	2.6	4.0	5.3	6.6	7.9	9.2	10.5	13.2	15.8	18.4	21.1	23.7	26.3	29.0	31.6	36.8	42.1	PSI
	Height	31.14	31.16	31.18	31.20	31.22	31.24	31.26	31.28	31.32	31.36	31.40	31.44	31.48	31.52	31.56	31.60	31.68	31.77	Inch
	Volume	166.63	166.15	165.66	165.18	164.70	164.22	163.74	163.26	162.31	161.36	160.42	159.48	158.55	157.62	156.70	155.78	153.96	152.16	ft^3
	Weight	243.8	487.4	733.0	974.6	1218.0	1461.4	1704.7	1948.0	2434.2	2920.2	3405.8	3891.2	4376.3	4861.1	5345.7	5829.9	6797.7	7764.3	Lbs cs
144" 12' diameter	Max PSI at E=1.00	1.5	3.0	4.5	5.9	7.4	8.9	10.4	11.9	14.9	17.8	20.8	23.8	26.7	29.7	32.6	35.6	41.5	47.5	PSI
	Max PSI at E=0.85	1.3	2.5	3.8	5.1	6.3	7.6	8.8	10.1	12.6	15.1	17.7	20.2	22.7	25.2	27.8	30.3	35.3	40.3	PSI
	Height	32.50	32.52	32.54	32.55	32.57	32.59	32.61	32.63	32.67	32.71	32.75	32.79	32.83	32.87	32.91	32.95	33.04	33.12	Inch
	Volume	189.35	188.82	188.29	187.77	187.24	186.72	186.19	185.67	184.63	183.60	182.57	181.55	180.54	179.52	178.52	177.52	175.53	173.56	ft^3
	Weight	265.4	530.8	798.1	1061.2	1326.3	1591.3	1856.3	2121.1	2650.7	3179.9	3708.8	4237.4	4765.7	5293.7	5821.4	6348.8	7402.8	8455.7	Lbs cs
150" 12' 6" diameter	Max PSI at E=1.00	1.4	2.9	4.3	5.7	7.1	8.6	10.0	11.4	14.3	17.1	20.0	22.8	25.7	28.5	31.3	34.2	39.9	45.6	PSI
	Max PSI at E=0.85	1.2	2.4	3.6	4.9	6.1	7.3	8.5	9.7	12.1	14.5	17.0	19.4	21.8	24.2	26.6	29.1	33.9	38.7	PSI
	Height	33.85	33.87	33.89	33.91	33.93	33.95	33.97	33.99	34.02	34.06	34.10	34.14	34.18	34.22	34.27	34.31	34.39	34.47	Inch
	Volume	214.04	213.47	212.89	212.32	211.75	211.18	210.62	210.05	208.92	207.80	206.68	205.57	204.47	203.37	202.27	201.18	199.02	196.88	ft^3
	Weight	288.0	575.9	866.1	1151.5	1439.2	1726.8	2014.3	2301.7	2876.3	3450.6	4024.6	4598.3	5171.6	5744.7	6317.4	6889.9	8033.9	9176.7	Lbs cs

For Preliminary Use Only --- Contact Pressure Vessel Engineering Ltd. for pressure vessel design and drafting --- Use at your own risk

S = 2000		80:10 Flanged and Dished Heads																	© 2003 Pressure Vessel Engineering Ltd. www.pveng.com	
IKR = 10% of OD, IDR = 80% of OD, thickness as formed, skirt not included		Phone: (519)-880-9808 Fax: (519) 880-9810																		
Head Thickness		0.063	0.125	0.188	0.250	0.313	0.375	0.438	0.500	0.625	0.750	0.875	1.000	1.125	1.250	1.375	1.500	1.750	2.000	Inch
156" 13' diameter	Max PSI at E=1.00	1.4	2.7	4.1	5.5	6.9	8.2	9.6	11.0	13.7	16.5	19.2	21.9	24.7	27.4	30.1	32.9	38.3	43.8	PSI
	Max PSI at E=0.85	1.2	2.3	3.5	4.7	5.8	7.0	8.2	9.3	11.7	14.0	16.3	18.6	21.0	23.3	25.6	27.9	32.6	37.2	PSI
	Height	35.20	35.22	35.24	35.26	35.28	35.30	35.32	35.34	35.38	35.42	35.46	35.50	35.54	35.58	35.62	35.66	35.74	35.82	Inch
	Volume	240.79	240.17	239.55	238.93	238.32	237.70	237.09	236.47	235.25	234.04	232.83	231.63	230.43	229.24	228.05	226.87	224.53	222.20	ft^3
	Weight	311.5	622.9	936.7	1245.5	1556.7	1867.7	2178.7	2489.6	3111.2	3732.4	4353.3	4973.9	5594.2	6214.1	6833.7	7453.0	8690.7	9927.1	Lbs cs
162" 13' 6" diameter	Max PSI at E=1.00	1.3	2.6	4.0	5.3	6.6	7.9	9.2	10.6	13.2	15.8	18.5	21.1	23.8	26.4	29.0	31.7	36.9	42.2	PSI
	Max PSI at E=0.85	1.1	2.2	3.4	4.5	5.6	6.7	7.9	9.0	11.2	13.5	15.7	17.9	20.2	22.4	24.7	26.9	31.4	35.9	PSI
	Height	36.56	36.58	36.60	36.61	36.63	36.65	36.67	36.69	36.73	36.77	36.81	36.85	36.89	36.93	36.97	37.01	37.09	37.18	Inch
	Volume	269.68	269.01	268.34	267.68	267.01	266.35	265.69	265.03	263.71	262.40	261.09	259.79	258.50	257.21	255.93	254.65	252.12	249.61	ft^3
	Weight	335.9	671.8	1010.2	1343.2	1678.7	2014.2	2349.6	2684.9	3355.3	4025.3	4695.0	5364.3	6033.3	6701.9	7370.3	8038.3	9373.3	10707.0	Lbs cs
168" 14' diameter	Max PSI at E=1.00	1.3	2.5	3.8	5.1	6.4	7.6	8.9	10.2	12.7	15.3	17.8	20.4	22.9	25.4	28.0	30.5	35.6	40.7	PSI
	Max PSI at E=0.85	1.1	2.2	3.3	4.3	5.4	6.5	7.6	8.7	10.8	13.0	15.1	17.3	19.5	21.6	23.8	26.0	30.3	34.6	PSI
	Height	37.91	37.93	37.95	37.97	37.99	38.01	38.03	38.05	38.08	38.12	38.16	38.20	38.24	38.28	38.32	38.36	38.45	38.53	Inch
	Volume	300.80	300.08	299.35	298.64	297.93	297.21	296.50	295.79	294.37	292.96	291.55	290.15	288.76	287.37	285.99	284.62	281.89	279.18	ft^3
	Weight	361.3	722.5	1086.4	1444.5	1805.4	2166.2	2527.0	2887.6	3608.6	4329.2	5049.5	5769.4	6489.0	7208.2	7927.1	8645.7	10081.7	11516.5	Lbs cs
174" 14' 6" diameter	Max PSI at E=1.00	1.2	2.5	3.7	4.9	6.1	7.4	8.6	9.8	12.3	14.8	17.2	19.7	22.1	24.6	27.0	29.5	34.4	39.3	PSI
	Max PSI at E=0.85	1.0	2.1	3.1	4.2	5.2	6.3	7.3	8.4	10.4	12.5	14.6	16.7	18.8	20.9	23.0	25.1	29.2	33.3	PSI
	Height	39.26	39.28	39.30	39.32	39.34	39.36	39.38	39.40	39.44	39.48	39.52	39.56	39.60	39.64	39.68	39.72	39.80	39.88	Inch
	Volume	334.22	333.45	332.67	331.91	331.14	330.37	329.61	328.84	327.32	325.80	324.30	322.79	321.30	319.81	318.32	316.85	313.91	311.00	ft^3
	Weight	387.5	775.0	1165.4	1549.6	1936.7	2323.8	2710.8	3097.7	3871.1	4644.2	5417.0	6189.3	6961.3	7733.0	8504.2	9275.2	10816.0	12355.4	Lbs cs
180" 15' diameter	Max PSI at E=1.00	1.2	2.4	3.6	4.8	5.9	7.1	8.3	9.5	11.9	14.3	16.6	19.0	21.4	23.8	26.1	28.5	33.2	38.0	PSI
	Max PSI at E=0.85	1.0	2.0	3.0	4.0	5.1	6.1	7.1	8.1	10.1	12.1	14.1	16.2	18.2	20.2	22.2	24.2	28.3	32.3	PSI
	Height	40.62	40.64	40.66	40.67	40.69	40.71	40.73	40.75	40.79	40.83	40.87	40.91	40.95	40.99	41.03	41.07	41.15	41.23	Inch
	Volume	370.03	369.20	368.37	367.55	366.73	365.91	365.09	364.27	362.64	361.02	359.40	357.79	356.19	354.59	353.00	351.42	348.27	345.15	ft^3
	Weight	414.7	829.4	1247.2	1658.3	2072.7	2486.9	2901.0	3315.1	4142.9	4970.3	5797.3	6623.9	7450.2	8276.1	9101.6	9926.8	11576.0	13223.8	Lbs cs
186" 15' 6" diameter	Max PSI at E=1.00	1.2	2.3	3.5	4.6	5.8	6.9	8.1	9.2	11.5	13.8	16.1	18.4	20.7	23.0	25.3	27.6	32.2	36.8	PSI
	Max PSI at E=0.85	1.0	2.0	2.9	3.9	4.9	5.9	6.8	7.8	9.8	11.7	13.7	15.6	17.6	19.5	21.5	23.4	27.3	31.2	PSI
	Height	41.97	41.99	42.01	42.03	42.05	42.07	42.09	42.10	42.14	42.18	42.22	42.26	42.30	42.34	42.38	42.42	42.50	42.59	Inch
	Volume	408.31	407.42	406.54	405.66	404.78	403.91	403.03	402.16	400.42	398.68	396.96	395.24	393.52	391.82	390.12	388.42	385.06	381.72	ft^3
	Weight	442.8	885.6	1331.8	1770.7	2213.2	2655.5	3097.7	3539.9	4423.8	5307.4	6190.6	7073.3	7955.7	8837.7	9719.3	10600.6	12361.9	14121.7	Lbs cs
192" 16' diameter	Max PSI at E=1.00	1.1	2.2	3.4	4.5	5.6	6.7	7.8	8.9	11.1	13.4	15.6	17.8	20.0	22.3	24.5	26.7	31.2	35.6	PSI
	Max PSI at E=0.85	0.9	1.9	2.8	3.8	4.7	5.7	6.6	7.6	9.5	11.4	13.3	15.1	17.0	18.9	20.8	22.7	26.5	30.3	PSI
	Height	43.32	43.34	43.36	43.38	43.40	43.42	43.44	43.46	43.50	43.54	43.58	43.61	43.65	43.69	43.73	43.77	43.86	43.94	Inch
	Volume	449.14	448.20	447.25	446.32	445.39	444.45	443.52	442.59	440.73	438.88	437.04	435.20	433.38	431.56	429.74	427.93	424.34	420.78	ft^3
	Weight	471.9	943.6	1419.1	1886.9	2358.3	2829.7	3300.9	3772.0	4714.0	5655.6	6596.7	7537.5	8477.8	9417.7	10357.3	11296.4	13173.5	15049.1	Lbs cs
198" 16' 6" diameter	Max PSI at E=1.00	1.1	2.2	3.3	4.3	5.4	6.5	7.6	8.6	10.8	13.0	15.1	17.3	19.4	21.6	23.8	25.9	30.2	34.5	PSI
	Max PSI at E=0.85	0.9	1.8	2.8	3.7	4.6	5.5	6.4	7.3	9.2	11.0	12.9	14.7	16.5	18.4	20.2	22.0	25.7	29.4	PSI
	Height	44.68	44.70	44.71	44.73	44.75	44.77	44.79	44.81	44.85	44.89	44.93	44.97	45.01	45.05	45.09	45.13	45.21	45.29	Inch
	Volume	492.61	491.61	490.60	489.61	488.61	487.62	486.63	485.64	483.66	481.69	479.73	477.78	475.83	473.90	471.96	470.04	466.21	462.42	ft^3
	Weight	501.8	1003.5	1509.2	2006.7	2508.0	3009.3	3510.5	4011.6	5013.4	6014.8	7015.8	8016.3	9016.5	10016.2	11015.5	12014.4	14011.0	16006.0	Lbs cs

For Preliminary Use Only --- Contact Pressure Vessel Engineering Ltd. for pressure vessel design and drafting --- Use at your own risk